
Cable ID	Summary	Test Limit	Length	Headroom	Date / Time
PMC-P8-018-5-UTP-C6-2M-01A	PASS	TIA Patch Cord Cat6 2.0m	7 ft	4.3 dB (NEXT)	01/22/2016 04:27 PM
PMC-P8-018-5-UTP-C6-2M-01B	PASS	TIA Patch Cord Cat6 2.0m	7 ft	2.9 dB (NEXT)	01/22/2016 04:29 PM

Total Length:	14 ft
Number of Reports:	2
Number of Passing Reports:	2
Number of Failing Reports:	0
Number of Warning Reports:	0
Documentation Only:	0



Cable ID: PMC-P8-018-5-UTP-C6-2M-01A


Test Summary: PASS

Date / Time: 01/22/2016 04:27:46 PM
Headroom 4.3 dB (NEXT 36-45)
Test Limit: TIA Patch Cord Cat6 2.0m
 Cable Type: Cat 6 U/UTP
 Calibration Date: 05/18/2015


Operator: Your Name
 Software Version: 2.7700
 Limits Version: 1.9400
 NVP: 69.0%

Model: DTX-1800
 Main S/N: 9634163
 Remote S/N: 9659098
 Main Adapter: DTX-PC6/MN
 Remote Adapter: DTX-PC6/SR

Length (ft)	[Pair 12]	7
Prop. Delay (ns)	[Pair 12]	10
Delay Skew (ns)	[Pair 12]	0
Resistance (ohms)	[Pair 36]	0.6





Wire Map (T568B)
PASS



Worst Case Margin Worst Case Value

PASS	MAIN	SR	MAIN	SR
Worst Pair	36-45		36-45	
NEXT (dB)	4.3		4.3	
Freq. (MHz)	249.5		249.5	
Limit (dB)	38.8		38.8	

PASS	MAIN	SR	MAIN	SR
Worst Pair	12		12	
RL (dB)	7.7		11.9	
Freq. (MHz)	19.1		249.0	
Limit (dB)	23.7		14.0	





Cable ID: PMC-P8-018-5-UTP-C6-2M-01B


Test Summary: PASS

Date / Time: 01/22/2016 04:29:46 PM
Headroom 2.9 dB (NEXT 36-45)
Test Limit: TIA Patch Cord Cat6 2.0m
 Cable Type: Cat 6 U/UTP
 Calibration Date: 05/18/2015


Operator: Your Name
 Software Version: 2.7700
 Limits Version: 1.9400
 NVP: 69.0%

Model: DTX-1800
 Main S/N: 9634163
 Remote S/N: 9659098
 Main Adapter: DTX-PC6/MN
 Remote Adapter: DTX-PC6/SR

Length (ft)	[Pair 12]	7
Prop. Delay (ns)	[Pair 12]	10
Delay Skew (ns)	[Pair 12]	0
Resistance (ohms)	[Pair 12]	0.5



Wire Map (T568B)
PASS



Worst Case Margin Worst Case Value

PASS	MAIN	SR	MAIN	SR
Worst Pair	36-45		36-45	
NEXT (dB)	2.9		2.9	
Freq. (MHz)	250.0		250.0	
Limit (dB)	38.8		38.8	

PASS	MAIN	SR	MAIN	SR
Worst Pair	12		12	
RL (dB)	7.4		13.3	
Freq. (MHz)	20.8		241.0	
Limit (dB)	23.8		14.2	

