
Cable ID	Summary	Test Limit	Length	Headroom	Date / Time
C6A-FTP-002	PASS	ISO Patch Cord Cat6A 1.0m	3 ft	1.4 dB (NEXT)	02/19/2014 04:43 PM
C6A-FTP-001	PASS	ISO Patch Cord Cat6A 1.0m	3 ft	1.8 dB (NEXT)	02/19/2014 04:42 PM

Total Length:	6 ft
Number of Reports:	2
Number of Passing Reports:	2
Number of Failing Reports:	0
Number of Warning Reports:	0
Documentation Only:	0



Cable ID: C6A-FTP-002

Date / Time: 02/19/2014 04:43:26 PM

Headroom 1.4 dB (NEXT 36-45)

Test Limit: ISO Patch Cord Cat6A 1.0m

Cable Type: Cat 6A FTP

Calibration Date: 09/29/2013

Operator: CHRIS

Software Version: 2.7400

Limits Version: 1.9300

NVP: 74.0%

Test Summary: PASS

Model: DTX-1800


Main S/N: 9446013

Remote S/N: 9446014


Main Adapter: DTX-PC6A/MN ISO/IEC

Remote Adapter: DTX-PC6A/SR ISO/IEC

Length (ft)	[Pair 12]	3
Prop. Delay (ns)	[Pair 36]	5
Delay Skew (ns)	[Pair 36]	1
Resistance (ohms)	[Pair 12]	0.1





Wire Map (T568B)
PASS



Worst Case Margin Worst Case Value

PASS	MAIN	SR	MAIN	SR
Worst Pair	36-45	12-45		
NEXT (dB)	1.4	3.0		
Freq. (MHz)	298.0	499.0		
Limit (dB)	37.1	31.0		

PASS	MAIN	SR	MAIN	SR
Worst Pair	36	78		
RL (dB)	3.1	4.5		
Freq. (MHz)	353.0	478.0		
Limit (dB)	11.8	9.8		





Cable ID: C6A-FTP-001

Date / Time: 02/19/2014 04:42:04 PM

Headroom 1.8 dB (NEXT 36-45)

Test Limit: ISO Patch Cord Cat6A 1.0m

Cable Type: Cat 6A FTP

Calibration Date: 09/29/2013

Operator: CHRIS

Software Version: 2.7400

Limits Version: 1.9300

NVP: 74.0%

Test Summary: PASS

Model: DTX-1800


Main S/N: 9446013

Remote S/N: 9446014


Main Adapter: DTX-PC6A/MN ISO/IEC

Remote Adapter: DTX-PC6A/SR ISO/IEC

Length (ft)	[Pair 12]	3
Prop. Delay (ns)	[Pair 36]	5
Delay Skew (ns)	[Pair 36]	1
Resistance (ohms)	[Pair 12]	0.2



Wire Map (T568B)
PASS



Worst Case Margin Worst Case Value

PASS	MAIN	SR	MAIN	SR
Worst Pair	36-45	36-45		
NEXT (dB)	1.8	1.9		
Freq. (MHz)	298.0	441.0		
Limit (dB)	37.1	32.5		

PASS	MAIN	SR	MAIN	SR
Worst Pair	36	78		
RL (dB)	3.3	4.3		
Freq. (MHz)	345.0	498.0		
Limit (dB)	11.9	9.5		

